



Stones with CORNERS

If you want to make beaded bezels around rivolis or stones that have corners — like the square, triangular, and navette-shaped rivolis and stones in the blue bracelet on p. 2 — look no further. These instructions will show you how to make perfect peyote stitch bezels with decreases at the corners.



SQUARE FRONT



SQUARE BACK




Square rivoli (12 mm)

- [1] On a comfortable length of thread, pick up a repeating pattern of five cylinders and four 15°s four times, and sew through the first cylinder again (**square front, a-b**), leaving a 12-in. (30 cm) tail.
- [2] Work two stitches in tubular peyote (Online Basics) using cylinders (**b-c**). Pick up a 15°, skip the first 15° in the ring, and sew through the next two 15°s (**c-d**). Work one stitch with a 15° (**d-e**). Repeat three times to complete the round, and step up to start the next round (**e-f**).
- [3] Work a round of tubular peyote, picking up one 15° in each stitch, and treating the two 15°s at each corner as one bead (**f-g**).
- [4] Work a peyote stitch, and sew through the next two 15°s without picking up a new 15° (**g-h**). Pick up a 15°, and sew through the next up-15°. Continue around, decreasing in the remaining corners the same way (**h-i**).
- [5] Place the rivoli in the bezel, and, using the tail thread, sew through the next 15° in the first round (**square back, a-b**).
- [6] Pick up two 15°s, sew through the next 15°, and work three peyote stitches using cylinders (**b-c**). Repeat around, and step up (**c-d**).
- [7] Work a round of tubular peyote using 15°s, and step up (**d-e**). Work a second round of 15°s to complete the bezel, treating the two-bead stitches as a single bead (**e-f**).

Triangular stone (23 mm)

- [1] On a comfortable length of thread, pick up a repeating pattern of 17 cylinders and five 15°s three times, leaving an 18-in. (46 cm) tail. Sew through the first two cylinders again to form a ring (**triangle, a-b**).
- [2] Work seven peyote stitches (Online Basics) using cylinders (**b-c**), pick up a 15°, and sew through the next two 15°s (**c-d**). Pick up a 15°, skip the next 15° in the ring, and sew through the next two 15°s (**d-e**). Pick up a 15°, skip the next cylinder, and sew through the following cylinder (**e-f**). Repeat around, and step up (**f-g**).
- [3] Work a round of tubular peyote (Online Basics), picking up one 15° for each stitch (**g-h**).
- [4] Work seven peyote stitches, picking up one 15° in each stitch, and then sew through the next 15° without adding a bead (**h-i**). Continue around in tubular peyote, decreasing in each corner (**i-j**).
- [5] Fit the stone in the bezel, and, using the tail thread, pick up two 15°s, sew through the next 15°, pick up two 15°s, and sew through the next up-cylinder (**a-aa**). Work eight peyote stitches using cylinders (**aa-bb**). Repeat around the stone, then step up (**bb-cc**).
- [6] Work a round of peyote using the same stitch pattern as in step 2: a 15°, a 15°, seven cylinders, a 15°. Repeat around, and step up (**cc-dd**).
- [7] Work a round of tubular peyote picking up one 15° in each stitch, and step up (**dd-ee**).
- [8] Work a round of tubular peyote using 15°s and decreasing in each corner, as in step 4 (**ee-ff**).

Find instructions for Cathy Lampole's "Jewel-box bracelet" in the special issue *Brilliant Crystal Jewelry 2*.



Navette stone (32 x 17 mm)

- [1] On a comfortable length of thread, pick up 29 cylinders and three 15°s twice, and sew through the first cylinder again to form a ring, leaving an 18-in. (46 cm) tail (**navette, a-b**).
- [2] Work a round of tubular peyote (Online Basics), picking up cylinders where you skip cylinders and 15°s where you skip 15°s (**b-c**).
- [3] Work a round of peyote picking up a 15° for each stitch (**c-d**).
- [4] Work a round of peyote, picking up one 15° for each stitch on the long sides (where the cylinders sit). Skip the center bead in each corner, picking up two 15°s to span the distance, instead of one (**d-e**).
- [5] Place the stone in the bezel so the back is nestled in the beads. If the hold is not secure, you may want to add two 15°s to each corner.
- [6] Using the tail thread, sew through the next 15° (**a-aa**), and work a round of peyote, picking up a 15° in each stitch. Sew through three 15°s to step up (**aa-bb**).
- [7] Work the final round as you did in step 4 (**bb-cc**). ●

Get Over 100 New Projects This Year



Bead&Button magazine is your complete beading resource.

Subscribe today to...

- Learn new techniques!
- Expand your beading skills!
- Get scores of projects ranging from basic to advanced!

Projects use a variety of stitches, including peyote, herringbone, ladder, bead crochet, and more. All projects are fully tested and include instructions you can count on!

Plus, subscribers have exclusive online access! Post photos of your work in the Subscriber Gallery and download free projects.

Subscribe to *Bead&Button* Today!

Visit www.BeadAndButton.com/promo

Enter promotional code: **IK87D**

Or call 1-800-533-6644

Mon. – Fri., 8:30am – 5:00pm Central Time. Outside the U.S. and Canada, call 262-796-8776, x661.